

Division	Section	Section Name	Equipment/Product	Location in Spec	Specified Manufacturer	Selection Type	Notes
04	04 20 00	Unit Masonry	Face Brick	2.1.A.4.a	Acme-Ochs Brick & Stone, Harvard Series	Sole Source	Match existing historic campus character
06	06 40 00	Finish Carpentry & Casework	Plastic Laminate: Countertops		Nevamar, Paris White Potteryware, #PO7001T	Or Approved Equal	Meet Section 06 40 00 specifications and samples approved by FM staff
06	06 40 00	Finish Carpentry & Casework	Plastic Laminate: Base and upper cabinets		Nevamar, Basic, #S2110T	Or Approved Equal	Meet Section 06 40 00 specifications and samples approved by FM staff
06	06 40 00	Finish Carpentry & Casework	Cast Plastic: Reception desk transaction		Corian, Sandstone	Or Approved Equal	Meet Section 06 40 00 specifications and samples approved by FM staff
06	06 40 00	Finish Carpentry & Casework	Cast Plastic: Window Sills		Wilsonart, Antique White, #1572SL	Or Approved Equal	Meet Section 06 40 00 specifications and samples approved by FM staff
07	07 31 13	Asphalt Shingles	Shingles	2.1.B	GAF	Or Approved Equal	Meet Specifications and Match Other Building Shingles
08	08 34 00	Smoke Containment Curtain	Smoke Containment Curtain	2.01.B	Smoke Guard, Model 200 Series	Or Approved Equal	Meet Performance Requirements of Specification
08	08 71 00	Door Hardware	Locks and Latches	2.6.A.1	Lock cores shall be BEST 'TE' Series	Sole Source	Match existing key system
09	09 30 13	Ceramic/Porcelain Tiling	Floor Tile: Floor Field		Daltile, Keystones, Mottled Medium Brown, #D050, 2"x2"	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Ceramic Wall Tile: Wall Field		Daltile, Semi-gloss, Almond, #0135, 4.25"x4.25	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Ceramic Wall Tile: Wall Accent		Daltile, Semi-gloss, Oak Moss, #0195, 4.24"x4.25"	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Ceramic Wall Tile: Wall Accent		Daltile, Semi-gloss liner bar, Garden Spot, #0141, .5"x6"	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Grout: at FT-1		Laticrete, Desert Khaki, #56	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Grout: at CWT-1,2,3		Laticrete, Mushroom, #39	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Trim: FT to carpet		TR-1, Schluter, Reno-TK, Satin Anodized Aluminum	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 30 13	Ceramic/Porcelain Tiling	Trim: Wall corners, edges, top of wainscot		TR-2, Schluter, Schiene, Satin Anodized Aluminum	Or Approved Equal	Meet Section 09 30 13 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Vinyl Composition Tile		VCT-1, Armstrong Imperial Texture/Standard Excelon, Fortress White, #51839	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Rubber Base: Wall		RB-1, Johnsonite, Fawn, #80	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Rubber Base: Reception Desk		RB-2, VPI,Taupe, #14	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Rubber Base: Stairwells		RB-3, Johnsonite, Safe-T-First RB with .75" Photoluminescent, PDC-XX, Fawn, #80	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Transition Strip: Carpet to resilient flooring		TR-4, Johnsonite, Adapter, CTA-XX-A, Brown, #47	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Transition Strip: Carpet to resilient concrete		TR-4 Johnsonite, Edge Guards, EG-XX-H, Brown, #47	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Stair Tread, Riser and Landing Tile, Landing		RF-1, Johnsonite, Rubber Tile, Microtone, Log Cabin, #LE4, 24"x24"	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Stair Tread, Riser and Landing Tile, Treads		RF-2, Johnsonite, Microtone Tread, VIHMT, Log Cabin, #LE4, Photoluminescent	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 65 00	Resilient Flooring, Base and Accessories	Stair Tread, Riser and Landing Tile, Riser		RF-3, Johnsonite, Microtone Riser, Log Cabin, #LE4	Or Approved Equal	Meet Section 09 65 00 specifications and samples approved by FM staff
09	09 51 00	Acoustical Ceilings	Acoustic Ceiling Tile, ACT-1, ACT-2	2.5.A.7	USG Radar 2210 Series, 2220 Series	Or Approved Equal	Meet Specifications and Match Match Existing
06	09 68 00	Carpeting	Carpet: Corridor		Shaw Contract, Constellation EW24 59326, modular, Orbit, #26810, 24"x24"	Or Approved Equal	Meet Section 09 68 00 specifications and samples approved by FM staff
06	09 68 00	Carpeting	Carpet: Base/Carpet at alternate		Shaw Contract, Constellation EW24 60660, broadloom, Orbit, #26810, 24"x24"	Or Approved Equal	Meet Section 09 68 00 specifications and samples approved by FM staff
09	09 91 00	Painting	Paint		Benjamin Moore	Or Approved Equal	Meet Section 09 91 00 specifications and samples approved by FM staff
10	10 14 43	Photoluminescent Egress Path Markings	Egress Markings		EverGlow identification for Floor, Door, Exit, Directional, Door push bar	Or Approved Equal	Meet Section 10 14 43 specifications and samples approved by FM staff
10	10 26 00	Wall Guards, Corner Guards, Handrails	Corner Guards		CG-1, Acrovyn, Eggshell, #100	Or Approved Equal	Meet Section 10 26 00 specifications and samples approved by FM staff
10	12 21 23	Cubicle/Shower Curtains	Cubicle Curtains		CC-1, Designer Textiles Int'l, Banjo, Seafoam, #13, Ivory mesh	Or Approved Equal	Meet Section 12 21 23 specifications and samples approved by FM staff
12	12 24 00	Vertical Window Blinds	Vertical Blinds		B-1, Graber/Bali, Foundations, Foam, #03-9303, 3.5" vertical vane	Or Approved Equal	Meet Section 12 24 00 specifications and samples approved by FM staff
12	12 48 13	Entrance Floor Mats/Grilles	Entrance Mat System		C/S Group, Pedimat M1 system, Bronze, Carpet insert, Mono Tuft HD, Espresso #9305	Or Approved Equal	Meet Section 12 48 13 specifications and samples approved by FM staff
22	22 13 00	Facility Sanitary and Vent Piping	Floor Drains in Restrooms	2.5.A	Smith 2005	Or Equal	
22	22 35 00	Domestic Water Heat Exchangers	Shell and Tube Heat Exchanger	2.1.A	Armstrong	Or Approved Equal	Basis of Design, Needs to meet construction and performance specifications of Section 2.1
23	23 09 23	Direct-Digital Control System for HVAC	DDC	1.1.F	Johnson Controls	Sole Source	
23	23 37 00	Air Outlets and Inlets	Pre-Fab Curbs for Air Intakes	2.2.B	Greenheck Series GPI	Or Equal	Need to be similar construction to that listed
			Curbs for power ventilators, relief vents and gravity vents	2.2.C	Greenheck Series GPI	Or Equal	Need to be similar construction to that listed
23	23 37 00	Air Outlets and Inlets	Curbs located on sloped roofs	2.2.D	Greenheck Series GPIIP	Or Equal	Need to be similar construction to that listed
26	26 05 13	Medium Voltage Cables	Medium Voltage Cables	2.1.A	General Cable, Hendrix, Okonite, Prysmian	Or Approved Equal	Need to meet the specifications of Section 2.1
26	26 05 41	Underground Electrical Construction	Fiberglass Handholes	2.1.A	Quazite PG Style	Or Equal	Need to meet the specifications of Section 2.1
26	26 05 41	Underground Electrical Construction	Rigid Metal Conduit, coated	2.2.C.2	Robroy	Or Simlar	Rigid galvanized with factory PVC coating
26	26 24 16	Panelboards	Panelboards	2.1.A	Square D	Or Approved Equal	Need to meet the specifications of Section 2
27	27 05 28	Pathways for Communications System	Non-continuous Cable Supports	2.1.A	Eriko CableCat	Or Equal	Need to meet the specifications of Section 2.1.B and 26 05 11
27	27 05 28	Pathways for Communications System	Fire Barrier Caulk	2.4.A	3M CP25 or Hilti	Or Equal	Need to be equivalent to the two listed
27	27 05 28	Pathways for Communications System	Fire Rated Cable Penetrations	2.5.A	STI "Easy Patch" or Hilti	Or Equal	Need to be equivalent to the two listed
27	27 05 28	Pathways for Communications System	Fire Barrier Pillows	2.6.A	KBS "Sealbag" or Hilti	Or Equal	Need to be equivalent to the two listed
27	27 10 01	Communications Structured Cabling Systems	Patch Panels	2.12.A	Panduit	Or Equal	Need to meet the specifications of Section 2.12 and 26 05 11
27	27 10 01	Communications Structured Cabling Systems	Data Racks	2.14.A	Hoffman, Belden, Panduit, Ortronics, Chatsworth	Or Equal	Need to meet the specifications of Section 2.14 and 26 05 11
27	27 10 01	Communications Structured Cabling Systems	Cable Management	2.15.A	Hoffman, Belden, Panduit, Ortronics, Hubbell, Leviton	Or Equal	Need to meet the specifications of Section 2.15 and 26 05 11
27	27 10 01	Communications Structured Cabling Systems	Fiber Optic Management Ring	2.16.B	Leviton Model 48900-OFR	Or Equal	Need to meet construction as specified in 2.16.B.2
27	27 10 01	Communications Structured Cabling Systems	Fiber Optic Enclosure Panel	2.4.A	Hubbel, Belden, Leviton, Panduit	Or Equal	Need to meet the specifications of Section 2.1.B and 26 05 11
27	27 10 01	Communications Structured Cabling Systems	Coaxial Cable	2.9.A	General, Belden, Commscope	Or Equal	Need to meet the specifications of Section 2.9 and 26 05 11
27	27 10 01	Communications Structured Cabling Systems	Coaxial Taps and Accessories	2.9.E.1	Blonder Tongue Versatap series	Or Equal	Need to meet the specifications of Section 2.9.E and 26 05 11
27	27 10 01	Communications Structured Cabling Systems	Firestopping	3.5.I	3M, Intl. Protective Coatings Corp, STI, Carborundum Co, Raychem, Nelson Fire Stop	Or Approved Equal	Need to meet the specification of 3.5.I and submit method of installation
27	27 47 00	Area of Refuge Communication Systems	Emergency Phones	2.1.A	Talk-A-Phone Model ETP-100EBB	Or Approved Equal	Basis of Design, Needs to meet construction and performance specifications of Section 2.1
27	27 47 00	Area of Refuge Communication Systems	Emergency Phones	2.2.A	Talk-A-Phone Model CU-8R	Or Approved Equal	Basis of Design, Needs to meet construction and performance specifications of Section 2.2
27	27 52 23	Nurse Call/Code Blue Systems	Nurse Call	2.3.A	Rauland 4000 Nurse Call system	Sole Source	Match exisiting Nurse Call in Bldg 28
28	28 31 00	Fire Detection and Alarm	Fire Alarm Equipment	2.3.A.3	Edwards EST Fire Alarm system	Sole Source	Match existing fire alarm system